



DYNOPTIC

Furlong House, Crowfield, Nr Brackley, Northamptonshire NN13 5TW United Kingdom
Telephone: +44 (0)1280 850521, Facsimile: +44 (0)1280 850568
Email: contact@dynoptic.com, Web site: www.dynoptic.com

Enquiry Form for Dust Monitor	
From:	<input type="text"/>
Date:	<input type="text"/>
Email.:	<input type="text"/>
Tel No.:	<input type="text"/>
<i>Please fill in the form and send back.</i>	
Process:	<input type="text"/>
Legal requirements	<input type="checkbox"/> IPPC Directive <input type="checkbox"/> WID 2000/76/EC <input type="checkbox"/> Process Measurement
Installation:	<input type="checkbox"/> outdoor <input type="checkbox"/> indoor <input type="checkbox"/>
Ambient temperature:	from <input type="text"/> °C to <input type="text"/> °C
Meas. gas temperature:	from <input type="text"/> °C to <input type="text"/> °C
	permanent temp. <input type="text"/> °C highest temp. <input type="text"/> °C
Meas. gas dew point:	<input type="text"/> °C Relative humidity: <input type="text"/> %
Kind of dust:	<input type="text"/>
Dust concentration:	<input type="text"/> mg/m ³
Dust properties:	<input type="checkbox"/> normal <input type="checkbox"/> abrasive <input type="checkbox"/> adhesive
Corrosive components in the gas:	<input type="text"/>
Flow velocity:	from <input type="text"/> to <input type="text"/> m/s
Dimensions of pipe / channel:	∅ <input type="text"/> mm <input type="text"/> x <input type="text"/> mm
Material of pipe / channel:	<input type="text"/>
Insulation of pipe / channel:	<input type="checkbox"/> no <input type="checkbox"/> yes Thickness: <input type="text"/> mm
Channel direction and incoming flow:	<input type="checkbox"/> horizontal <input type="checkbox"/> from right <input type="checkbox"/> from left <input type="checkbox"/> vertical <input type="checkbox"/> from top <input type="checkbox"/> from bottom
Remarks: (i.e. other process gases; comms outputs required; power supply on site; zero / span calibration required)	<input type="text"/>
Place / Date:	Signature: <input type="text"/>